

**Corian® Joint Adhesive Component A**

Version 6.0

Issue Date : 07/04/2022 Ref. 150000004821  
Revision Date : 05/24/2022

This SDS adheres to the standards and regulatory requirements of the United States and may not meet the regulatory requirements in other countries.

**SECTION 1. PRODUCT AND COMPANY IDENTIFICATION**

Product name : Corian® Joint Adhesive Component A  
Product Use : Adhesives and/or sealants, For professional users only.

Restrictions on use : Do not use product for anything outside of the above specified uses.  
Manufacturer/Supplier : DuPont  
974 Centre Road  
Wilmington, Delaware 19805

Product Information : +1-833-338-7668 (outside the U.S. +1-302-996-8439) +1-833-338-7668  
(outside the U.S. +1-302-996-8439)

Medical Emergency : 1-800-441-3637 (outside the U.S. 1-302-774-1139) 1-800-441-3637 (outside  
the U.S. 1-302-774-1139)

Transport Emergency : +1-800-424-9300 (outside the U.S. & Canada +1-703-527-3887) +1-800-424-  
9300 (outside the U.S. & Canada +1-703-527-3887)

**SECTION 2. HAZARDS IDENTIFICATION****Product hazard category**

Flammable solids	Category 1
Skin irritation	Category 2
Serious eye damage/eye irritation	Category 2A
Skin sensitisation	Category 1
Specific target organ toxicity - single exposure	Category 3

**Label content**

Pictogram :





**Corian® Joint Adhesive Component A**

Version 6.0

Issue Date : 07/04/2022 Ref. 150000004821  
 Revision Date : 05/24/2022

Signal word : Danger

Hazardous warnings : Flammable solid.  
 Causes skin irritation.  
 May cause an allergic skin reaction.  
 Causes serious eye irritation.  
 May cause respiratory irritation.

Hazardous prevention measures : Keep away from heat/ sparks/ open flames/ hot surfaces. No smoking.  
 Ground/bond container and receiving equipment.  
 Use explosion-proof electrical/ ventilating/ lighting equipment.  
 Avoid breathing dust.  
 Wash skin thoroughly after handling.  
 Use only outdoors or in a well-ventilated area.  
 Contaminated work clothing should not be allowed out of the workplace.  
 Wear protective gloves/ eye protection/ face protection.  
 IF ON SKIN: Wash with plenty of soap and water.  
 IF INHALED: Remove person to fresh air and keep comfortable for breathing.  
 Call a POISON CENTER/ doctor if you feel unwell.  
 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
 If skin irritation or rash occurs: Get medical advice/ attention.  
 If eye irritation persists: Get medical advice/ attention.  
 Take off contaminated clothing and wash before reuse.  
 In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish.  
 Store in a well-ventilated place. Keep container tightly closed.  
 Store locked up.  
 Dispose of contents/ container to an approved waste disposal plant.

**Other hazards**

The following percentage of the mixture consists of ingredient(s) with unknown acute toxicity: 1 - 10 %



## Corian® Joint Adhesive Component A

Version 6.0

Issue Date : 07/04/2022  
Revision Date : 05/24/2022

Ref. 150000004821

### SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Component	CAS-No.	Concentration
Methyl methacrylate	80-62-6	45 - 65 %
Propylidynetrimethyl trimethacrylate	3290-92-4	1 - 5 %
Methacrylic acid	79-41-4	1 - 2 %
2-(2H-Benzotriazol-2-yl)-p-cresol	2440-22-4	1 - 3 %
Bis(2,2,6,6-Tetramethyl-4-Piperidyl) Sebacate	52829-07-9	<1 %
2,6-di-tert-Butyl-p-cresol	128-37-0	<0.1 %

### SECTION 4. FIRST AID MEASURES

General advice : No applicable data available.

Inhalation : Remove from exposure, lie down. Consult a physician after significant exposure.

Skin contact : Wash off immediately with soap and plenty of water.

Eye contact : In case of eye contact Hold eyelids apart and flush eyes with plenty of water for at least 15 minutes. Get medical attention.

Ingestion : If symptoms persist, call a physician.

Most important symptoms/effects, acute and delayed : For further information see Section 11.

Protection of first-aiders : If potential for exposure exists refer to Section 8 for specific personal protective equipment.

Notes to physician : No specific intervention is indicated. Treat symptomatically.



**Corian® Joint Adhesive Component A**

Version 6.0

Issue Date : 07/04/2022 Ref. 150000004821  
 Revision Date : 05/24/2022

**SECTION 5. FIREFIGHTING MEASURES**

- Suitable extinguishing media : Alcohol-resistant foam, Water spray, Dry chemical, Carbon dioxide (CO2)
- Unsuitable extinguishing media : High volume water jet
- Specific hazards : Hazardous combustion products  
Carbon monoxide carbon dioxide.
- Special protective equipment for firefighters : Wear self-contained breathing apparatus and protective suit.
- Further information : Evacuate personnel and keep upwind of fire. Do not allow run-off from fire fighting to enter drains or water courses.

**SECTION 6. ACCIDENTAL RELEASE MEASURES**

NOTE: Review FIRE FIGHTING MEASURES and HANDLING (PERSONNEL) sections before proceeding with clean-up. Use appropriate PERSONAL PROTECTIVE EQUIPMENT during clean-up.

- Safeguards (Personnel) : Wear personal protective equipment.
- Environmental precautions : Do not flush into surface water or sanitary sewer system. Do not allow material to contaminate ground water system.
- Spill Cleanup : Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Ensure adequate ventilation.
- Accidental Release Measures : No applicable data available.

**SECTION 7. HANDLING AND STORAGE**

- Handling (Personnel) : Persons susceptible to skin sensitisation problems or asthma, allergies, chronic or recurrent respiratory disease should not be employed in any process in which this mixture is being used. Avoid contact with skin and eyes.



**Corian® Joint Adhesive Component A**

Version 6.0

Issue Date : 07/04/2022 Ref. 150000004821  
 Revision Date : 05/24/2022

Use only in well-ventilated areas. Wash hands before breaks and at the end of workday. Keep away from food and drink. Wash contaminated clothing before re-use.  
 Wash hands before breaks and at the end of workday. Keep away from food, drink and animal feedingstuffs. Remove and wash contaminated clothing before re-use.

- Handling (Physical Aspects) : Keep product and empty container away from heat and sources of ignition. When using do not smoke.
- Dust explosion class : No applicable data available.
- Storage : Keep containers tightly closed in a cool, well-ventilated place.
- Storage period : No applicable data available.
- Storage temperature : 5 - 23 °C (41 - 73 °F)

**SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION**

- Engineering controls : Use sufficient ventilation to keep employee exposure below recommended limits.
- Personal protective equipment
  - Respiratory protection : No personal respiratory protective equipment normally required. In case of insufficient ventilation, wear suitable respiratory equipment. Mask with gas filter, type A (EN 141)
  - Hand protection : Material: Rubber gloves
  - Eye protection : Safety glasses

Exposure Guidelines  
 Exposure Limit Values

<b>Methyl methacrylate</b>			
TLV	(ACGIH)	50 ppm	TWA
TLV	(ACGIH)	100 ppm	STEL
REL	(NIOSH)	100 ppm 410 mg/m3	Time-weighted average concentration for up to a 10-hour workday during a 40-hour workweek
PEL (Permissible Exposure Limit)	(OSHA)	100 ppm 410 mg/m3	8 hr. TWA



## Corian® Joint Adhesive Component A

Version 6.0

Issue Date : 07/04/2022  
Revision Date : 05/24/2022

Ref. 150000004821

PEL (Permissible Exposure Limit)	(OSHA)	100 ppm 410 mg/m3	TWA
----------------------------------	--------	-------------------	-----

### Propylidynetrimethyl trimethacrylate

No applicable data available.

### Methacrylic acid

TLV	(ACGIH)	20 ppm	TWA
REL	(NIOSH)	20 ppm 70 mg/m3	Time-weighted average concentration for up to a 10-hour workday during a 40-hour workweek
PEL (Permissible Exposure Limit)	(OSHA)	20 ppm 70 mg/m3	TWA Skin notation
AEL *	(DuPont)	10 ppm	8 & 12 hr. TWA

### 2-(2H-Benzotriazol-2-yl)-p-cresol

No applicable data available.

### Bis(2,2,6,6-Tetramethyl-4-Piperidyl) Sebacate

No applicable data available.

### 2,6-di-tert-Butyl-p-cresol

TLV	(ACGIH)	2 mg/m3	TWA Inhalable fraction and vapor
REL	(NIOSH)	10 mg/m3	Time-weighted average concentration for up to a 10-hour workday during a 40-hour workweek
PEL (Permissible Exposure Limit)	(OSHA)	10 mg/m3	TWA

\* AEL is DuPont's Acceptable Exposure Limit. Where governmentally imposed occupational exposure limits which are lower than the AEL are in effect, such limits shall take precedence.

## SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

### Appearance

Physical state : solid  
Form : solid  
Color : various, coloured

Odor : pungent, acrylic-like

**Corian® Joint Adhesive Component A**

Version 6.0

Issue Date : 07/04/2022 Ref. 150000004821  
Revision Date : 05/24/2022

Odor threshold : not determined

pH : Not applicable

Melting point/freezing point : Melting point/range  
not determined

Boiling point/boiling range : Boiling point/boiling range  
101 °C (214 °F)

Flash point : 9 °C

Evaporation rate : No applicable data available.

Flammability (solid, gas) : The substance or mixture is a flammable solid with the category 1.

Upper explosion limit : 12.5 vol%

Lower explosion limit : 2.1 vol%

Vapor pressure : 47 hPa at 20 °C (68 °F)

Vapour density : No applicable data available.

Density : 1 g/cm<sup>3</sup> at 20 °C (68 °F)

Specific gravity (Relative density) : No applicable data available.

Water solubility : immiscible

Solubility(ies) : No applicable data available.

Partition coefficient: n-octanol/water : No applicable data available.

Auto-ignition temperature : not auto-flammable

Ignition temperature : 430 °C

Decomposition temperature : No applicable data available.

Viscosity, kinematic : No applicable data available.

**Corian® Joint Adhesive Component A**

Version 6.0

Issue Date : 07/04/2022 Ref. 150000004821  
Revision Date : 05/24/2022

Viscosity, dynamic : No applicable data available.

**SECTION 10. STABILITY AND REACTIVITY**

Reactivity : Stable under recommended storage conditions.  
Chemical stability : No decomposition if stored and applied as directed.  
Possibility of hazardous reactions : No applicable data available.  
Conditions to avoid : Heat Exposure to sunlight.  
Incompatible materials : Reducing agents Oxidizing agents  
Hazardous decomposition products : Hazardous decomposition products, Carbon dioxide (CO<sub>2</sub>), Carbon monoxide, Carbon oxides, Smoke, acrid fumes, Acrylic monomers

**SECTION 11. TOXICOLOGICAL INFORMATION**

Methyl methacrylate

Inhalation 4 h LC50 : 29.8 mg/l , Rat  
Target Organs: Respiratory system

Dermal LD50 : > 5,000 mg/kg , Rabbit

Oral LD50 : 6,550 mg/kg , Rabbit

Skin irritation : Severe skin irritation, Rabbit

Eye irritation : No eye irritation, Rabbit

Skin sensitization : May cause sensitisation by skin contact., Guinea pig  
Does not cause respiratory sensitisation., human

Repeated dose toxicity : Oral  
Rat  
-  
NOAEL: > 3300,  
No toxicologically significant effects were found.

Carcinogenicity : Not classifiable as a human carcinogen.





## Corian® Joint Adhesive Component A

Version 6.0

Issue Date : 07/04/2022 Ref. 150000004821  
 Revision Date : 05/24/2022

Animal testing did not show any carcinogenic effects.

Mutagenicity : Animal testing did not show any mutagenic effects.

Reproductive toxicity : No toxicity to reproduction  
 No effects on or via lactation  
 Animal testing showed no reproductive toxicity.

Teratogenicity : Animal testing showed no developmental toxicity.

### Propylidynetrimethyl trimethacrylate

Dermal LD50 : > 2,000 mg/kg , Rat

Oral LD50 : > 2,000 mg/kg , Rat

Skin irritation : Slight or no skin irritation, Rabbit  
 Minimal effects that do not meet the threshold for classification.

Eye irritation : Slight or no eye irritation, Rabbit  
 Minimal effects that do not meet the threshold for classification.

Skin sensitization : Does not cause skin sensitisation., Guinea pig

Repeated dose toxicity : Ingestion  
 Rat  
 - 90 d  
 NOAEL: 300 mg/kg  
 LOAEL: 1,000 mg/kg Method: OECD Test Guideline 408  
 No toxicologically significant effects were found.

Carcinogenicity : Not classifiable as a human carcinogen.  
 Animal testing did not show any carcinogenic effects.

Mutagenicity : Animal testing did not show any mutagenic effects.  
 Did not cause genetic damage in cultured bacterial cells.  
 Genetic damage in cultured mammalian cells was observed in some laboratory tests but not in others.

Reproductive toxicity : No toxicity to reproduction  
 Animal testing showed no reproductive toxicity.

Teratogenicity : Animal testing showed effects on embryo-fetal development at levels equal to or above those causing maternal toxicity.

### Methacrylic acid



## Corian® Joint Adhesive Component A

Version 6.0

Issue Date : 07/04/2022 Ref. 150000004821  
 Revision Date : 05/24/2022

Inhalation 4 h LC50	:	3.4 mg/l , Rat Target Organs: Respiratory system eye effects Respiratory effects Central nervous system effects
Dermal Acute toxicity estimate	:	300 mg/kg , Rabbit
Oral LD50	:	1,320 mg/kg , Rat
Skin irritation	:	Corrosive after 3 minutes or less of exposure, Rabbit
Eye irritation	:	Corrosive, Rabbit
Skin sensitization	:	Does not cause skin sensitisation., Guinea pig  Does not cause respiratory sensitisation., Not tested on animals
Repeated dose toxicity	:	Inhalation Rat - NOAEL: 0.352 mg/l Method: OECD Test Guideline 413 No toxicologically significant effects were found.
Carcinogenicity	:	Not classifiable as a human carcinogen. Animal testing did not show any carcinogenic effects.
Mutagenicity	:	Animal testing did not show any mutagenic effects. Did not cause genetic damage in cultured mammalian cells. Genetic damage in cultured bacterial cells was observed in some laboratory tests but not in others.
Reproductive toxicity	:	No toxicity to reproduction Animal testing showed no reproductive toxicity.
Teratogenicity	:	Animal testing showed no developmental toxicity.
2-(2H-Benzotriazol-2-yl)-p-cresol Inhalation 4 h LC50	:	163 mg/l , Rat
Dermal LD50	:	> 2,000 mg/kg , Rat
Oral LD50	:	10,000 mg/kg , Rat
Skin irritation	:	No skin irritation, Rat

**Corian® Joint Adhesive Component A**

Version 6.0

Issue Date : 07/04/2022 Ref. 150000004821  
Revision Date : 05/24/2022

Eye irritation : No eye irritation, Rabbit

Skin sensitization : Probability or evidence of low to moderate skin sensitisation rate in humans, Guinea pig

Repeated dose toxicity : Oral  
Rat  
-  
NOAEL: 500 mg/kg Method: OECD Test Guideline 408  
Organ weight changes

Carcinogenicity : Not classifiable as a human carcinogen.  
Animal testing did not show any carcinogenic effects.

Mutagenicity : Animal testing did not show any mutagenic effects.  
Did not cause genetic damage in cultured bacterial cells.

Reproductive toxicity : No toxicity to reproduction  
Animal testing showed no reproductive toxicity.

Teratogenicity : Animal testing showed no developmental toxicity.

**Bis(2,2,6,6-Tetramethyl-4-Piperidyl) Sebacate**

Dermal LD50 : > 3,170 mg/kg , Rat

Oral LD50 : 3,700 mg/kg , Rat

Skin irritation : No skin irritation, Rabbit

Eye irritation : Irreversible effects on the eye, Rabbit

Skin sensitization : Does not cause skin sensitisation., Guinea pig

Repeated dose toxicity : Ingestion  
Rat  
- 90 d  
NOAEL: > 277 mg/kg Method: OECD Test Guideline 408  
No toxicologically significant effects were found.

Carcinogenicity : no data available

Mutagenicity : Tests on bacterial or mammalian cell cultures did not show mutagenic effects.  
Evidence suggests this substance does not cause genetic damage in



## Corian® Joint Adhesive Component A

Version 6.0

Issue Date : 07/04/2022 Ref. 150000004821  
 Revision Date : 05/24/2022

animals.

Reproductive toxicity : No toxicity to reproduction

Teratogenicity : No toxicity to reproduction

### 2,6-di-tert-Butyl-p-cresol

Dermal LD50 : > 2,000 mg/kg , Rat

Oral LD50 : > 2,390 mg/kg , Rat

Skin irritation : No skin irritation, Rabbit

Eye irritation : No eye irritation, Rabbit

Skin sensitization : Does not cause skin sensitisation., human

Repeated dose toxicity : Oral  
 Rat  
 -  
 NOAEL: 250 mg/kg  
 LOAEL: 500 mg/kg  
 Kidney effects, Liver effects

Carcinogenicity : Not classifiable as a human carcinogen.  
 Overall weight of evidence indicates that the substance is not carcinogenic.

Mutagenicity : Animal testing did not show any mutagenic effects.  
 Tests on bacterial or mammalian cell cultures did not show mutagenic effects.

Reproductive toxicity : No toxicity to reproduction  
 No effects on or via lactation  
 Animal testing showed no reproductive toxicity.

Teratogenicity : Animal testing showed effects on embryo-fetal development at levels equal to or above those causing maternal toxicity.

### Carcinogenicity

The carcinogenicity classifications for this product and/or its ingredients have been determined according to HazCom 2012, Appendix A.6. The classifications may differ from those listed in the National Toxicology Program (NTP) Report on Carcinogens (latest edition) or those found to be a potential carcinogen in the International Agency for Research on Cancer (IARC) Monographs (latest edition).



## Corian® Joint Adhesive Component A

Version 6.0

Issue Date : 07/04/2022  
Revision Date : 05/24/2022

Ref. 150000004821

Material	IARC	NTP	OSHA
Titanium dioxide	2B		
Carbon black	2B		

### SECTION 12. ECOLOGICAL INFORMATION

#### Aquatic Toxicity

##### Methyl methacrylate

96 h LC50	: Oncorhynchus mykiss (rainbow trout) > 79 mg/l
72 h ErC50	: Pseudokirchneriella subcapitata (green algae) > 110 mg/l OECD Test Guideline 201
72 h NOEC	: Pseudokirchneriella subcapitata (green algae) 110 mg/l OECD Test Guideline 201
48 h EC50	: Daphnia magna (Water flea) 69 mg/l see user defined free text
35 d	: NOEC Danio rerio (zebra fish) 9.4 mg/l OECD Test Guideline 210
21 d	: NOEC Daphnia magna (Water flea) 37 mg/l OECD Test Guideline 211

##### Propylidynetrimethyl trimethacrylate

96 h LC50	: Oncorhynchus mykiss (rainbow trout) 2 mg/l OECD Test Guideline 203
72 h EC50	: Pseudokirchneriella subcapitata (green algae) 3.88 mg/l OECD Test Guideline 201
72 h NOEC	: Pseudokirchneriella subcapitata (green algae) 0.177 mg/l OECD Test Guideline 201
48 h LC50	: Daphnia magna (Water flea) > 9.22 mg/l OECD Test Guideline 202
32 d	: NOEC Pimephales promelas (fathead minnow) 0.138 mg/l OECD Test Guideline 210

##### Methacrylic acid

96 h LC50	: Oncorhynchus mykiss (rainbow trout) 85 mg/l
-----------	---



## Corian® Joint Adhesive Component A

Version 6.0

Issue Date : 07/04/2022 Ref. 150000004821  
 Revision Date : 05/24/2022

72 h ErC50 : Pseudokirchneriella subcapitata (green algae) 45 mg/l

72 h NOEC : Pseudokirchneriella subcapitata (green algae) 8.2 mg/l

48 h EC50 : Daphnia magna (Water flea) > 130 mg/l

35 d : NOEC Danio rerio (zebra fish) 10 mg/l

21 d : NOEC Daphnia magna (Water flea) 53 mg/l

### 2-(2H-Benzotriazol-2-yl)-p-cresol

96 h LC50 : Fish > 100 mg/l OECD Test Guideline 203

72 h ErC50 : Desmodesmus subspicatus (green algae) > 100 mg/l Directive 67/548/EEC, Annex V, C.3.

72 h NOEC : Desmodesmus subspicatus (green algae) 33 mg/l

21 d : NOEC Daphnia magna (Water flea) 0.013 mg/l OECD Test Guideline 211

### Bis(2,2,6,6-Tetramethyl-4-Piperidyl) Sebacate

96 h LC50 : Lepomis macrochirus (Bluegill sunfish) 4.4 mg/l OECD Test Guideline 203

72 h ErC50 : Pseudokirchneriella subcapitata (green algae) 1.1 mg/l OECD Test Guideline 201

72 h NOEC : Pseudokirchneriella subcapitata (green algae) 0.05 mg/l OECD Test Guideline 201

48 h EC50 : Daphnia magna (Water flea) 8.58 mg/l OECD Test Guideline 202

21 d : NOEC Daphnia magna (Water flea) 0.23 mg/l OECD Test Guideline 211

### 2,6-di-tert-Butyl-p-cresol

96 h LC50 : Danio rerio (zebra fish) 0.57 mg/l

72 h ErC50 : Desmodesmus subspicatus (green algae) > 0.4 mg/l Directive 67/548/EEC, Annex V, C.3.

48 h EC50 : Daphnia magna (Water flea) 0.61 mg/l OECD Test Guideline 202



## Corian® Joint Adhesive Component A

Version 6.0

Issue Date : 07/04/2022 Ref. 150000004821  
 Revision Date : 05/24/2022

21 d : NOEC Daphnia magna (Water flea) 0.316 mg/l

### Environmental Fate

#### Methyl methacrylate

Biodegradability : rapidly biodegradable OECD Test Guideline 301C  
 Readily biodegradable.

Bioaccumulation : Bioaccumulation is unlikely.

#### Propylidynetrimethyl trimethacrylate

Biodegradability : Not biodegradable OECD Test Guideline 301  
 Not readily biodegradable.

Bioaccumulation : Bioaccumulation is unlikely.

#### 2-(2H-Benzotriazol-2-yl)-p-cresol

Bioaccumulation : OECD Test Guideline 305C  
 Bioaccumulation is unlikely.

#### Bis(2,2,6,6-Tetramethyl-4-Piperidyl) Sebacate

Biodegradability : Not biodegradable 10 - 24 % OECD Test Guideline 301

## SECTION 13. DISPOSAL CONSIDERATIONS

Waste disposal methods - Product : Do not dispose of together with household waste. Do not flush into surface water or sanitary sewer system. In accordance with local and national regulations.

Contaminated packaging : Dispose of in accordance with local regulations.

## SECTION 14. TRANSPORT INFORMATION

DOT	UN number	: 1325
	Proper shipping name	: Flammable solids, organic, n.o.s. (Methyl methacrylate)
	Class	: 4.1
	Packing group	: II
	Labelling No.	: 4.1
IATA_C	UN number	: 1325



## Corian® Joint Adhesive Component A

Version 6.0

Issue Date : 07/04/2022 Ref. 150000004821  
 Revision Date : 05/24/2022

IMDG	Proper shipping name	: Flammable solid, organic, n.o.s. (Methyl methacrylate)
	Class	: 4.1
	Packing group	: II
	Labelling No.	: 4.1
	UN number	: 1325
	Proper shipping name	: FLAMMABLE SOLID, ORGANIC, N.O.S. (Methyl methacrylate)
	Class	: 4.1
	Packing group	: II
	Labelling No.	: 4.1

### SECTION 15. REGULATORY INFORMATION

TSCA : On the inventory, or in compliance with the inventory

SARA 311/312 Hazard classification : Flammable (gases, aerosols, liquids, or solids)  
 Skin corrosion or irritation  
 Serious eye damage or eye irritation  
 Respiratory or skin sensitisation  
 Specific target organ toxicity (single or repeated exposure)

SARA 313 Regulated Chemical(s) : The following components are subject to reporting levels established by SARA Title III, Section 313: Methyl methacrylate

PA Right to Know Regulated Chemical(s) : Substances on the Pennsylvania Hazardous Substances List present at a concentration of 1% or more (0.01% for Special Hazardous Substances): Methyl methacrylate, Titanium dioxide, Methacrylic acid, C.I. Pigment Brown 24, Cuprate(1-), [C,C,C-tris[[[3-[(2-ethylhexyl)oxy]propyl]amino]sulfonyl]-29H,31H-phthalocyanine-C-sulfonato(3-)-N29,N30,N31,N32]-, hydrogen, compd. with 3-[(2-ethylhexyl)oxy]-1-propanamine (1:1), Ethyl acrylate

NJ Right to Know Regulated Chemical(s) : Substances on the New Jersey Workplace Hazardous Substance List present at a concentration of 1% or more (0.1% for substances identified as carcinogens, mutagens or teratogens): Methyl methacrylate, Titanium dioxide, Methacrylic acid, Carbon black

California Prop. 65 : This product can expose you to substances including Titanium dioxide, which is/are known to the State of California to cause cancer. For more information go to [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov).



**Corian® Joint Adhesive Component A**

Version 6.0

Issue Date : 07/04/2022  
Revision Date : 05/24/2022

Ref. 150000004821

**SECTION 16. OTHER INFORMATION**

	NFPA
Health :	1
Flammability :	3
Reactivity/Physical hazard :	0

Before use read DuPont's safety information.

The DuPont Oval Logo, DuPont™ and all products denoted with ® or ™ are trademarks or registered trademarks of affiliates of DuPont de Nemours, Inc.

Issue Date : 07/04/2022  
Revision Date : 05/24/2022

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.