

**Corian® Solid Surface Acrylic Modified Polyester Shapes**

Version 2.1

Issue Date : 10/11/2024 Ref. 130000149699
Revision Date : 10/24/2018

This SDS adheres to the standards and regulatory requirements of the United States and may not meet the regulatory requirements in other countries.

SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

Product name : Corian® Solid Surface Acrylic Modified Polyester Shapes
Product Use : Article, For professional users only.

Restrictions on use : Do not use product for anything outside of the above specified uses.
Manufacturer/Supplier : DuPont
974 Centre Road
Wilmington, Delaware 19805

Product Information : 1-833-338-7668
Transport Emergency : +1-800-424-9300 (outside the U.S. & Canada +1-703-527-3887)

SECTION 2. HAZARDS IDENTIFICATION

Product hazard category
Combustible dust

Label content

Pictogram : not required

Signal word : Warning

Hazardous warnings : If small particles are generated during further processing, handling or by other means, may form combustible dust concentrations in air.

Hazardous prevention measures : not required

Other hazards



Corian® Solid Surface Acrylic Modified Polyester Shapes

Version 2.1

Issue Date : 10/11/2024
Revision Date : 10/24/2018

Ref. 130000149699

The product as such is not hazardous.

The hazards of this product are associated mainly with its processing.

Operations such as sawing, routing, drilling and sanding can generate dust.

WARNING!

May form combustible dust concentrations in air (during processing).

High concentrations of dust can irritate eyes, nose and respiratory system and cause coughing and sneezing. If small particles are generated during further processing, handling or by other means, may form combustible dust concentrations in air.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Component	CAS-No.	Concentration
Solid Surface		100 %

Exposure limits may be applicable for the following :

Dust (inhalable and respirable fraction)		
Methyl methacrylate	80-62-6	
Styrene	100-42-5	

SECTION 4. FIRST AID MEASURES

General advice : No applicable data available.

Inhalation : If large amounts of dust are inhaled, or if exposed to fumes from overheating or combustion, move to fresh air.

Skin contact : No hazards which require special first aid measures.

Eye contact : Rinse thoroughly with plenty of water, also under the eyelids.

Ingestion : No hazards which require special first aid measures.



Corian® Solid Surface Acrylic Modified Polyester Shapes

Version 2.1

Issue Date : 10/11/2024 Ref. 130000149699
 Revision Date : 10/24/2018

Most important symptoms/effects, acute and delayed : No applicable data available.
 Protection of first-aiders : No applicable data available.
 Notes to physician : No applicable data available.

SECTION 5. FIREFIGHTING MEASURES

Suitable extinguishing media : Water spray, Dry chemical, Carbon dioxide (CO2), Foam
 Unsuitable extinguishing media : No applicable data available.
 Specific hazards : Avoid generating dust; fine dust dispersed in air in sufficient concentrations, and in the presence of an ignition source is a potential dust explosion hazard. Hazardous combustion products Carbon monoxide Carbon dioxide (CO2) Methyl methacrylate monomer Aldehydes
 Special protective equipment for firefighters : No applicable data available.
 Further information : No applicable data available.

SECTION 6. ACCIDENTAL RELEASE MEASURES

NOTE: Review FIRE FIGHTING MEASURES and HANDLING (PERSONNEL) sections before proceeding with clean-up. Use appropriate PERSONAL PROTECTIVE EQUIPMENT during clean-up.

Safeguards (Personnel) : No special precautions required.
 Environmental precautions : No special environmental precautions required.
 Spill Cleanup : Dust deposits should not be allowed to accumulate on surfaces, as these may form an explosive mixture if they are released into the atmosphere in sufficient concentration. Avoid dispersal of dust in the air (i.e., clearing dust surfaces with compressed air). Non-sparking tools should be used.
 Accidental Release Measures : No applicable data available.

**Corian® Solid Surface Acrylic Modified Polyester Shapes**

Version 2.1

Issue Date : 10/11/2024
Revision Date : 10/24/2018

Ref. 130000149699

SECTION 7. HANDLING AND STORAGE

- Handling (Personnel) : Do not breathe dust. Do not breathe vapours or fumes that may be evolved during processing. Wash hands before breaks and at the end of workday. Minimize dust generation and accumulation. Routine housekeeping should be instituted to ensure that dusts do not accumulate on surfaces. Dry powders can build static electricity charges when subjected to the friction of transfer and mixing operations. Provide adequate precautions, such as electrical grounding and bonding, or inert atmospheres. Handling and processing operations should be conducted in accordance with best practices (e.g.NFPA-654).
- Handling (Physical Aspects) : No applicable data available.
Dust explosion class : No applicable data available.
Storage : No special storage conditions required.
- Storage period : No applicable data available.
- Storage temperature : No applicable data available.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

- Personal protective equipment
- Respiratory protection : No personal respiratory protective equipment normally required. Dust safety masks are recommended when the dust concentration is more than 10 mg/m³.
- Hand protection : Additional protection: Wear gloves suitable for the task being performed. Leather gloves or a suitable alternative should be worn when handling solid surface. Chemical resistant gloves should be used when handling chemicals. One exception is the use of rotating equipment, where gloves could be caught on the equipment.
- Eye protection : Safety glasses
- Exposure Guidelines
Exposure Limit Values



Corian® Solid Surface Acrylic Modified Polyester Shapes

Version 2.1

Issue Date : 10/11/2024
 Revision Date : 10/24/2018

Ref. 130000149699

Solid Surface			
No applicable data available.			

Dust (inhalable and respirable fraction)			
Permissible exposure limit:	(OSHA)	5 mg/m3	8 hr. TWA
Permissible exposure limit:	(OSHA)	15 mg/m3	8 hr. TWA
TLV	(ACGIH)	3 mg/m3	TWA
TLV	(ACGIH)	10 mg/m3	TWA

Methyl methacrylate			
Permissible exposure limit:	(OSHA)	100 ppm 410 mg/m3	8 hr. TWA
TLV	(ACGIH)	50 ppm	TWA
TLV	(ACGIH)	100 ppm	STEL

Styrene			
Permissible exposure limit:	(OSHA)	100 ppm	TWA
Permissible exposure limit:	(OSHA)	200 ppm	TLV-C
Permissible exposure limit:	(OSHA)	600 ppm	MAX. CONC
TLV	(ACGIH)	20 ppm	TWA
TLV	(ACGIH)	40 ppm	STEL

Biological Exposure Indices

Styrene			
BEI	(ACGIH)	40 µg/l	Styrene/Urine Sampling time: End of shift.

* AEL is DuPont's Acceptable Exposure Limit. Where governmentally imposed occupational exposure limits which are lower than the AEL are in effect, such limits shall take precedence.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance

**Corian® Solid Surface Acrylic Modified Polyester Shapes**

Version 2.1

Issue Date : 10/11/2024 Ref. 130000149699
Revision Date : 10/24/2018

Physical state : solid
Form : solid
Color : various

Odor : odourless

Odor threshold : No applicable data available.

pH : No applicable data available.

Melting point/range : No applicable data available.

Boiling point/boiling range : No applicable data available.

Flash point : No applicable data available.

Evaporation rate : No applicable data available.

Flammability (solid, gas) : May form combustible dust concentrations in air.

Upper explosion limit : No applicable data available.

Lower explosion limit : No applicable data available.

Vapour Pressure : No applicable data available.

Vapour density : No applicable data available.

Specific gravity (Relative density) : No applicable data available.

Bulk density : 1.7 - 1.8 kg/m³

Water solubility : No applicable data available.

Solubility(ies) : No applicable data available.

Partition coefficient: n-octanol/water : No applicable data available.

Auto-ignition temperature : No applicable data available.

Decomposition temperature : No applicable data available.

**Corian® Solid Surface Acrylic Modified Polyester Shapes**

Version 2.1

Issue Date : 10/11/2024 Ref. 130000149699
Revision Date : 10/24/2018

Viscosity, kinematic : No applicable data available.

Viscosity, dynamic : No applicable data available.

SECTION 10. STABILITY AND REACTIVITY

Reactivity : No applicable data available.
Chemical stability : No applicable data available.
Possibility of hazardous reactions : No applicable data available.
Conditions to avoid : None reasonably foreseeable. Stable under normal conditions.
Incompatible materials : No applicable data available.
Hazardous decomposition products : Methyl methacrylate monomer, Styrene

SECTION 11. TOXICOLOGICAL INFORMATION

Methyl methacrylate

Inhalation 4 h LC50 : 29.8 mg/l , Rat
Target Organs: Respiratory system

Dermal LD50 : > 5,000 mg/kg , Rabbit

Oral LD50 : 6,550 mg/kg , Rabbit

Skin irritation : Severe skin irritation, Rabbit

Eye irritation : No eye irritation, Rabbit

Skin sensitization : May cause sensitisation by skin contact., Guinea pig
Does not cause respiratory sensitisation., human

Repeated dose toxicity : Oral
Rat
-
NOAEL: > 3300,
No toxicologically significant effects were found.

**Corian® Solid Surface Acrylic Modified Polyester Shapes**

Version 2.1

Issue Date : 10/11/2024
Revision Date : 10/24/2018

Ref. 130000149699

Carcinogenicity : Not classifiable as a human carcinogen.
Animal testing did not show any carcinogenic effects.

Mutagenicity : Animal testing did not show any mutagenic effects.

Reproductive toxicity : No toxicity to reproduction
No effects on or via lactation
Animal testing showed no reproductive toxicity.

Teratogenicity : Animal testing showed no developmental toxicity.

Styrene

Inhalation 4 h LC50 : 11.8 mg/l , Rat
Target Organs: Respiratory system

Dermal LD50 : > 2,000 mg/kg , Rat

Oral LD50 : 5,000 mg/kg , Rat

Skin irritation : Severe skin irritation, Rabbit

Eye irritation : Irritation to eyes, reversing after 7 to 21 days, Rabbit

Repeated dose toxicity : Inhalation
Rat
- 28 d
vapour
Target Organs: Auditory system
Respiratory effects

Carcinogenicity : Weight of evidence does not support classification as a carcinogen
Overall weight of evidence indicates that the substance is not carcinogenic.

Mutagenicity : Weight of evidence does not support classification as a germ cell
mutagen.
Overall weight of evidence indicates that the substance is not mutagenic.

Reproductive toxicity : Weight of evidence does not support classification for reproductive
toxicity
Evidence suggests the substance is not a reproductive toxin in



Corian® Solid Surface Acrylic Modified Polyester Shapes

Version 2.1

Issue Date : 10/11/2024 Ref. 130000149699
 Revision Date : 10/24/2018

animals.
 No effects on or via lactation

Teratogenicity : Animal testing showed effects on embryo-foetal development including:
 Reduced embryo-foetal viability
 Foetal malformations

Carcinogenicity

The carcinogenicity classifications for this product and/or its ingredients have been determined according to HazCom 2012, Appendix A.6. The classifications may differ from those listed in the National Toxicology Program (NTP) Report on Carcinogens (latest edition) or those found to be a potential carcinogen in the International Agency for Research on Cancer (IARC) Monographs (latest edition).

Material	IARC	NTP	OSHA
Titanium dioxide	2B		
Styrene	2B	X	

SECTION 12. ECOLOGICAL INFORMATION

Aquatic Toxicity

Methyl methacrylate

- 96 h LC50 : Oncorhynchus mykiss (rainbow trout) > 79 mg/l
- 72 h ErC50 : Pseudokirchneriella subcapitata (green algae) > 110 mg/l OECD Test Guideline 201
- 72 h NOEC : Pseudokirchneriella subcapitata (green algae) 110 mg/l OECD Test Guideline 201
- 48 h EC50 : Daphnia magna (Water flea) 69 mg/l see user defined free text
- 35 d : NOEC Danio rerio (zebra fish) 9.4 mg/l OECD Test Guideline 210
- 21 d : NOEC Daphnia magna (Water flea) 37 mg/l OECD Test Guideline 211

Styrene



Corian® Solid Surface Acrylic Modified Polyester Shapes

Version 2.1

Issue Date : 10/11/2024 Ref. 130000149699
 Revision Date : 10/24/2018

96 h LC50 : Pimephales promelas (fathead minnow) 10 mg/l
 72 h EC50 : Pseudokirchneriella subcapitata (green algae) 4.9 mg/l
 48 h EC50 : Daphnia magna (Water flea) 4.7 mg/l OECD Test Guideline 202
 21 d : NOEC Daphnia magna (Water flea) 1.01 mg/l OECD Test Guideline 211

Environmental Fate

Methyl methacrylate

Biodegradability : rapidly biodegradable OECD Test Guideline 301C
 Readily biodegradable.

Bioaccumulation : Bioaccumulation is unlikely.

Styrene

Bioaccumulation : Bioaccumulation is unlikely.

SECTION 13. DISPOSAL CONSIDERATIONS

Waste disposal methods - Product : Can be landfilled or incinerated, when in compliance with local regulations.
 Contaminated packaging : No applicable data available.

SECTION 14. TRANSPORT INFORMATION

Not classified as dangerous in the meaning of transport regulations.

SECTION 15. REGULATORY INFORMATION

TSCA : On the inventory, or in compliance with the inventory



Corian® Solid Surface Acrylic Modified Polyester Shapes

Version 2.1

Issue Date : 10/11/2024 Ref. 130000149699
 Revision Date : 10/24/2018

SARA 313 Regulated Chemical(s) : Styrene, Methyl methacrylate

PA Right to Know Regulated Chemical(s) : Substances on the Pennsylvania Hazardous Substances List present at a concentration of 1% or more (0.01% for Special Hazardous Substances): Titanium dioxide, Styrene, 2-Ethylhexan-1-ol, Methyl methacrylate, Cobalt neodecanoate, 1,2,4-Trimethylbenzene, Methanol, 2-(2-Ethoxyethoxy)ethanol

NJ Right to Know Regulated Chemical(s) : Substances on the New Jersey Workplace Hazardous Substance List present at a concentration of 1% or more (0.1% for substances identified as carcinogens, mutagens or teratogens): Titanium dioxide, Styrene, Methyl methacrylate

California Prop. 65 : This product can expose you to substances including Styrene, which is/are known to the State of California to cause cancer, and Methanol, which is/are known to the State of California to cause birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

SECTION 16. OTHER INFORMATION

Restrictions for use : Do not use DuPont materials in medical applications involving implantation in the human body or contact with internal body fluids or tissues unless the material has been provided from DuPont under a written contract that is consistent with DuPont policy regarding medical applications and expressly acknowledges the contemplated use. For further information, please contact your DuPont representative. You may also request a copy of the DuPont POLICY Regarding Medical Applications and DuPont CAUTION Regarding Medical Applications.

Refer to NFPA 654, Standard for the Prevention of Fire and Dust Explosions from the Manufacturing, Processing, and Handling of Combustible Particulate Solids, for safe handling.

Before use read DuPont's safety information.

The DuPont Oval Logo, DuPont™ and all products denoted with ® or ™ are trademarks or registered trademarks of affiliates of DuPont de Nemours, Inc.

Issue Date : 10/11/2024
 Revision Date : 10/24/2018

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the



Corian® Solid Surface Acrylic Modified Polyester Shapes

Version 2.1

Issue Date : 10/11/2024
Revision Date : 10/24/2018

Ref. 130000149699

date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.



Corian® Solid Surface Acrylic Modified Polyester Shapes

Components: Solid Surface; Dust (inhalable and respirable fraction); Methyl methacrylate, CAS No. 80-62-6; Styrene, CAS No. 100-42-5

Warning

Hazard statements: If small particles are generated during further processing, handling or by other means, may form combustible dust concentrations in air.

Supplemental information: The product as such is not hazardous. The hazards of this product are associated mainly with its processing. Operations such as sawing, routing, drilling and sanding can generate dust. **WARNING!** May form combustible dust concentrations in air (during processing). High concentrations of dust can irritate eyes, nose and respiratory system and cause coughing and sneezing. If small particles are generated during further processing, handling or by other means, may form combustible dust concentrations in air.

Refer to Safety Data Sheet (SDS) for further information.

DuPont
974 Centre Road
Wilmington, Delaware 19805

Product Information: 1-833-338-7668

Medical Emergency:

Transport Emergency: CHEMTREC: +1-800-424-9300 (outside the U.S. & Canada +1-703-527-3887)

Version 2.1

Revision Date 10/24/2018

Issue Date 10/11/2024

Ref. 130000149699

The DuPont Oval Logo, DuPont™ and all products denoted with ® or ™ are trademarks or registered trademarks of affiliates of DuPont de Nemours, Inc.