Safety Data Sheet	<pre> OUPONT. </pre>
Corian® Solid Surface	e Acrylic Modified Polyester Shapes - Gemstone
Version 3.0	
Issue Date : Revision Date :	01/01/2025 Ref. 130000149699 12/17/2024
This SDS adheres to the standar requirements in other countries.	rds and regulatory requirements of the United States and may not meet the regulatory
SECTION 1. PRODUCT AND C	OMPANY IDENTIFICATION
Product name Product Use	 Corian® Solid Surface Acrylic Modified Polyester Shapes - Gemstone Article, For professional users only.
Restrictions on use Manufacturer/Supplier	 Do not use product for anything outside of the above specified uses. DuPont 974 Centre Road Wilmington, Delaware 19805
Product Information Transport Emergency	 1-833-338-7668 +1-800-424-9300 (outside the U.S. & Canada +1-703-527-3887)
SECTION 2. HAZARDS IDENTI Product hazard category Combustible dust	FICATION
Label content Pictogram	: not required
Signal word	: Warning
Hazardous warnings	: If small particles are generated during further processing, handling or by other means, may form combustible dust concentrations in air.
Hazardous prevention measures Other hazards	: not required
	1 / 14

Corian® Solid Surface Acrylic Modified Polyester Shapes - Gemstone

Version 3.0

 Issue Date
 :
 01/01/2025

 Revision Date
 :
 12/17/2024

Ref. 130000149699

The product as such is not hazardous.

The hazards of this product are associated mainly with its processing.

Operations such as sawing, routing, drilling and sanding can generate dust. WARNING!

May form combustible dust concentrations in air (during processing).

High concentrations of dust can irritate eyes, nose and respiratory system and cause coughing and sneezing. If small particles are generated during further processing, handling or by other means, may form combustible dust concentrations in air.

The following percentage of the mixture consists of ingredient(s) with unknown acute toxicity: 99.5 %

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Compo	nent	CAS-No.	Concentration
Solid Su	rface		100 %

Exposure limits may be applicable for the following :

Dust (inhalable and respirable fraction)		
Methyl methacrylate	80-62-6	
Styrene	100-42-5	

SECTION 4. FIRST AID MEASURES

General advice Inhalation	 No applicable data available. If large amounts of dust are inhaled, or if exposed to fumes from overheating or combustion, move to fresh air.
Skin contact	: No hazards which require special first aid measures.
Eye contact	: Rinse thoroughly with plenty of water, also under the eyelids.
Ingestion	: No hazards which require special first aid measures.
Most important symptoms/effects, acute and delayed	: No applicable data available.
	2 / 14

Corian® Solid Surface Acrylic Modified Polyester Shapes - Gemstone

Version 3.0

Issue Date Revision Date	-	01/01/2025 F 12/17/2024	Ref. 130000149699
Protection of first-aiders		: No applicable data availa	ble.

Protection of first-aiders: No applicable data available.Notes to physician: No applicable data available.

SECTION 5. FIREFIGHTING MEASURES

Suitable extinguishing media	: Water spray, Dry chemical, Carbon dioxide (CO2), Foam
Unsuitable extinguishing media	: No applicable data available.
Specific hazards	 Avoid generating dust; fine dust dispersed in air in sufficient concentrations, and in the presence of an ignition source is a potential dust explosion hazard. Hazardous combustion products Carbon monoxide Carbon dioxide (CO2) Methyl methacrylate monomer Aldehydes
Special protective equipment for firefighters	: No applicable data available.
Further information	: No applicable data available.

SECTION 6. ACCIDENTAL RELEASE MEASURES

NOTE: Review FIRE FIGHTING MEASURES and HANDLING (PERSONNEL) sections before proceeding with clean-up. Use appropriate PERSONAL PROTECTIVE EQUIPMENT during clean-up.

Safeguards (Personnel)	: No special precautions required.
Environmental precautions	: No special environmental precautions required.
Spill Cleanup	: Dust deposits should not be allowed to accumulate on surfaces, as these may form an explosive mixture if they are released into the atmosphere in sufficient concentration. Avoid dispersal of dust in the air (i.e., clearing dust surfaces with compressed air). Non-sparking tools should be used.
Accidental Release Measures	: No applicable data available.

Corian® Solid Surface Acrylic Modified Polyester Shapes - Gemstone

Version 3.0

Issue Date Revision Date : 01/01/2025 : 12/17/2024 Ref. 130000149699

SECTION 7. HANDLING AND STORAGE

Handling (Personnel)	Do not breathe dust. Do not breathe vapours or fumes that may be evolve during processing. Wash hands before breaks and at the end of workday. Minimize dust generation and accumulation. Routine housekeeping should instituted to ensure that dusts do not accumulate on surfaces. Dry powder can build static electricity charges when subjected to the friction of transfe and mixing operations. Provide adequate precautions, such as electrical grounding and bonding, or inert atmospheres. Handling and processing operations should be conducted in accordance with best practices (e.g.NF 654).	ld be rs er
Handling (Physical Aspects) Dust explosion class Storage	No applicable data available. No applicable data available. No special storage conditions required.	
Storage period	No applicable data available.	
Storage temperature	No applicable data available.	

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Personal protective equipment	
Respiratory protection	No personal respiratory protective equipment normally required. Dust safety masks are recommended when the dust concentration is more than 10 mg/m3.
Hand protection	Additional protection: Wear gloves suitable for the task being performed. Leather gloves or a suitable alternative should be worn when handling solid surface. Chemical resistant gloves should be used when handling chemicals. One exception is the use of rotating equipment, where gloves could be caught on the equipment.
Eye protection	Safety glasses

Exposure Guidelines

Exposure Limit Values

Solid Surface

No applicable data available.

Dust (inhalable and respirable fraction)

Corian® Solid Surface Acrylic Modified Polyester Shapes - Gemstone

Version 3.0

Issue Date
 Issue Date
 :
 01/01/2025

 Revision Date
 :
 12/17/2024

: 01/01/2025

Ref. 130000149699

PEL (Permissible	(OSHA)	50 Million particles per	TWA
Exposure Limit)		cubic foot	total dust
PEL (Permissible	(OSHA)	15 mg/m3	TWA
Exposure Limit)		_	total dust
PEL (Permissible	(OSHA)	5 mg/m3	TWA
Exposure Limit)			respirable fraction
PEL (Permissible	(OSHA)	15 Million particles per	TWA
Exposure Limit)		cubic foot	respirable fraction
TLV	(ACGIH)	3 mg/m3	TWA
			Respirable particulate matter
TLV	(ACGIH)	10 mg/m3	TWA
			Inhalable particulate matter

Methyl methacrylate	;		
TLV	(ACGIH)	50 ppm	TWA
TLV	(ACGIH)	100 ppm	STEL
REL	(NIOSH)	100 ppm 410 mg/m3	Time-weighted average concentration for up to a 10-hour workday during a 40-hour workweek
PEL (Permissible Exposure Limit)	(OSHA)	100 ppm 410 mg/m3	8 hr. TWA
PEL (Permissible Exposure Limit)	(OSHA)	100 ppm 410 mg/m3	TWA
AEL *	(DuPont)	50 ppm	8 & 12 hr. TWA
AEL *	(DuPont)	100 ppm	Short term exposure limit

Styrene			
REL	(NIOSH)	50 ppm 215 mg/m3	Time-weighted average concentration for up to a 10-hour workday during a 40-hour workweek
REL	(NIOSH)	100 ppm 425 mg/m3	STEL - 15-minute TWA exposure that should not be exceeded at any time during a workday
PEL (Permissible Exposure Limit)	(OSHA)	100 ppm	TWA
PEL (Permissible Exposure Limit)	(OSHA)	200 ppm	CEIL
PEL (Permissible Exposure Limit)	(OSHA)	600 ppm	Peak
PEL (Permissible Exposure Limit)	(OSHA)	50 ppm 215 mg/m3	TWA
PEL (Permissible Exposure Limit)	(OSHA)	100 ppm 425 mg/m3	STEL



Corian® Solid Surface Acrylic Modified Polyester Shapes - Gemstone

Version 3.0

Issue Date Revision Date : 01/01/2025 : 12/17/2024 Ref. 130000149699

TLV	(ACGIH)	10 ppm	TWA
TLV	(ACGIH)	20 ppm	STEL
AEL *	(DuPont)	10 ppm	12 hr. TWA

Biological Exposure Indices

Styrene			
BEI	(ACGIH)	20 µg/l	Styrene/Urine End of shift (As soon as possible after exposure ceases)
BEI	(ACGIH)	150	Mandelic acid plus phenylglyoxylic acid/Urine End of shift (As soon as possible after exposure ceases)

* AEL is DuPont's Acceptable Exposure Limit. Where governmentally imposed occupational exposure limits which are lower than the AEL are in effect, such limits shall take precedence.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance Physical state Form Color	: solid : solid : various
Odor	: odourless
Odor threshold	: No applicable data available.
рН	: No applicable data available.
Melting point/range	: No applicable data available.
Boiling point/boiling range	: No applicable data available.
Flash point	: No applicable data available.
Evaporation rate	: No applicable data available.
Flammability (solid, gas)	: May form combustible dust concentrations in air.
Upper explosion limit	: No applicable data available.
	6 / 14

Corian® Solid Surface Acrylic Modified Polyester Shapes - Gemstone

Version 3.0

Issue Date : Revision Date :	01/01/2025 12/17/2024	Ref. 130000149699
Lower explosion limit	: No applicable dat	ta available.
Vapour Pressure	: No applicable data	a available.
Vapour density	: No applicable data	a available.
Specific gravity (Relative density)	: No applicable data	a available.
Bulk density	: 1.7 - 1.8 kg/m3	
Water solubility	: No applicable data	a available.
Solubility(ies)	: No applicable data	a available.
Partition coefficient: n- octanol/water	: No applicable data	a available.
Auto-ignition temperature	: No applicable dat	ta available.
Decomposition temperature	: No applicable dat	ta available.
Viscosity, kinematic	: No applicable dat	ta available.
Viscosity, dynamic	: No applicable dat	ta available.

SECTION 10. STABILITY AND REACTIVITY

Reactivity Chemical stability Possibility of hazardous reactions	::	No applicable data available. No applicable data available. No applicable data available.
Conditions to avoid	:	None reasonably foreseeable. Stable under normal conditions.
Incompatible materials	:	No applicable data available.
Hazardous decomposition products	:	Methyl methacrylate monomer, Styrene

SECTION 11. TOXICOLOGICAL INFORMATION

Methyl methacrylate

Corian® Solid Surface Acrylic Modified Polyester Shapes - Gemstone

Version 3.0

Issue Dat Revision			Ref. 130000149699
	Inhalation 4 h LC50	:	29.8 mg/l , Rat Target Organs: Respiratory system
	Dermal LD50	:	> 5,000 mg/kg , Rabbit
	Oral LD50	:	6,550 mg/kg , Rabbit
	Skin irritation	:	Severe skin irritation, Rabbit
	Eye irritation	:	No eye irritation, Rabbit
	Skin sensitization	:	May cause sensitisation by skin contact., Guinea pig
			Does not cause respiratory sensitization., human
	Repeated dose toxicity	:	Oral Rat
			NOAEL: > 3300, No toxicologically significant effects were found.
	Carcinogenicity	:	Not classifiable as a human carcinogen. Animal testing did not show any carcinogenic effects.
	Mutagenicity	:	Animal testing did not show any mutagenic effects.
	Reproductive toxicity	:	No toxicity to reproduction No effects on or via lactation Animal testing showed no reproductive toxicity.
	Teratogenicity	:	Animal testing showed no developmental toxicity.
Styrene	Inhalation 4 h LC50	:	11.8 mg/l , Rat
	Dermal LD50	:	> 2,000 mg/kg , Rat
	Oral LD50	:	> 6,000 mg/kg , hamster
	Skin irritation	:	Severe skin irritation, Rabbit
	Eye irritation	:	Irritation to eyes, reversing within 21 days, Rabbit
	Skin sensitization	:	Does not cause skin sensitization., Guinea pig
			8 / 14

Corian® Solid Surface Acrylic Modified Polyester Shapes - Gemstone

Version 3.0

Issue Date Revision Date	:	01/01/2025 12/17/2024	
			Does not cause respiratory sensitization., human
Repeated dose	tox	icity :	Inhalation Rat - 28 d vapour NOAEL: 2.13 mg/l Central nervous system effects, Hearing disturbances Ingestion Rat - 24 Months NOAEL: 1,000 mg/kg LOAEL: 2,000 mg/kg No toxicological effects warranting significant target organ toxicity
			classification were seen below the recommended guidance values for classification.
Carcinogenicity	,	:	Weight of evidence does not support classification as a carcinogen Overall weight of evidence indicates that the substance is not carcinogenic.
Mutagenicity		:	Weight of evidence does not support classification as a germ cell mutagen. Genetic damage in cultured bacterial cells was observed in some laboratory tests but not in others. Tests on mammalian cell cultures showed mutagenic effects. Genetic damage in animals was observed in some laboratory tests but not in others.
Reproductive to	oxici	ty :	Animal testing showed no reproductive toxicity.
Teratogenicity		:	Some evidence of adverse effects on development, based on animal experiments. Animal testing showed effects on embryo-foetal development at levels below those causing maternal toxicity.

Carcinogenicity

The carcinogenicity classifications for this product and/or its ingredients have been determined according to HazCom 2012, Appendix A.6. The classifications may differ from those listed in the National Toxicology Program (NTP) Report on Carcinogens (latest edition) or those found to be a potential carcinogen in the International Agency for Research on Cancer (IARC) Monographs (latest edition).

OUPONT >

Corian® Solid Surface Acrylic Modified Polyester Shapes - Gemstone

	,	
e : Date :	01/01/2025 12/17/2024	
Material	IAR	C NTP OSHA
Titanium dioxide	2B	
Styrene	2A	X
2. ECOLOGICAL IN	FORMATIO	Ν
kicity		
96 h LC50	:	Oncorhynchus mykiss (rainbow trout) > 79 mg/l
72 h ErC50	:	Pseudokirchneriella subcapitata (green algae) > 110 mg/l OECD Test Guideline 201
72 h NOEC	:	Pseudokirchneriella subcapitata (green algae) 110 mg/l OECD Test Guideline 201
48 h EC50	:	Daphnia magna (Water flea) 69 mg/l see user defined free text
35 d	:	NOEC Danio rerio (zebra fish) 9.4 mg/I OECD Test Guideline 210
21 d	:	NOEC Daphnia magna (Water flea) 37 mg/l OECD Test Guideline 211
96 h LC50	:	Pimephales promelas (fathead minnow) 10 mg/LOECD Test Guideline 203
96 h EC50	:	Raphidocelis subcapitata (freshwater green alga) 6.3 mg/l
96 h EC10	:	Raphidocelis subcapitata (freshwater green alga) 0.28 mg/l
48 h EC50	:	Daphnia magna (Water flea) 4.7 mg/I OECD Test Guideline 202
21 d	:	NOEC Daphnia magna (Water flea) 1.01 mg/I OECD Test Guideline 211
nmental Fate		
acrylate Biodegradability	:	rapidly biodegradable OECD Test Guideline 301C Readily biodegradable.
		10 / 14
	Anterial Material Titanium dioxide Styrene 2. ECOLOGICAL INI Acrylate 96 h LC50 72 h ErC50 72 h NOEC 48 h EC50 35 d 21 d 96 h LC50 96 h EC50 96 h EC50 96 h EC50 96 h EC50 91 d	A A A A A A A A A A A A A A A A A A A

OUPONT>

Corian® Solid Surface Acrylic Modified Polyester Shapes - Gemstone

Version 3.0

Issue Date Revision D	-	:	01/01/2025 12/17/2024	Ref. 130000149699
	Bioaccumulation		:	Bioaccumulation is unlikely.
Styrene	Biodegradability		:	Biodegradable Readily biodegradable.
	Bioaccumulation		:	Bioaccumulation is unlikely.

SECTION 13. DISPOSAL CONSIDERATIONS

Waste disposal methods - Product	n be landfilled or incinerated, whe	en in compliance with local regulations.
Contaminated packaging	applicable data available.	

SECTION 14. TRANSPORT INFORMATION

Not classified as dangerous in the meaning of transport regulations.

SECTION 15. REGULATORY INFORMATION

TSCA : On the inventory, or in compliance with the inventory

SARA 313 Regulated Chemical(s)

The following components are subject to reporting levels established by SARA Title III, Section 313:

Components		CAS-No.	Concentration %
Styrene		100-42-5	32 %
Methyl methacrylate		80-62-6	4 %
PA Right to Know Regulated Chemical(s)	: Substances on the Pennsylvania concentration of 1% or more (0.4 Titanium dioxide, Styrene, 2-Eth	01% for Special Ha	zardous Substances):
	11 / 14		

Corian® Solid Surface Acrylic Modified Polyester Shapes - Gemstone

Version 3.0

Issue Date Revision Date	: :	01/01/2025 Ref. 130000149699 12/17/2024
		Hydroxide Oxide (Fe(Oh)O), Cobalt neodecanoate, 1,2,4-Trimethylbenzene, Methanol, 2-(2-Ethoxyethoxy)ethanol
NJ Right to Know Regulated Chemical(s)	: Substances on the New Jersey Workplace Hazardous Substance List present at a concentration of 1% or more (0.1% for substances identified as carcinogens, mutagens or teratogens): Titanium dioxide, Styrene, Methyl methacrylate
California Prop. 65		: WARNING: This product can expose you to substances including Styrene, which is/are known to the State of California to cause cancer, and Methanol, which is/are known to the State of California to cause birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

SECTION 16. OTHER INFORMATION

Restrictions for use : Do not use DuPont materials in medical applications involving implantation in the human body or contact with internal body fluids or tissues unless the material has been provided from DuPont under a written contract that is consistent with DuPont policy regarding medical applications and expressly acknowledges the contemplated use. For further information, please contact your DuPont representative. You may also request a copy of the DuPont POLICY Regarding Medical Applications and DuPont CAUTION Regarding Medical Applications.

Refer to NFPA 654, Standard for the Prevention of Fire and Dust Explosions from the Manufacturing, Processing, and Handling of Combustible Particulate Solids, for safe handling.

Before use read DuPont's safety information.

The DuPont Oval Logo, DuPont[™] and all products denoted with ® or [™] are trademarks or registered trademarks of affiliates of DuPont de Nemours, Inc.

Issue Date	:	01/01/2025
Revision Date	:	12/17/2024

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.



Corian® Solid Surface Acrylic Modified Polyester Shapes - Gemstone

Version 3.0

 Issue Date
 :
 01/01/2025

 Revision Date
 :
 12/17/2024
 Issue Date

: 01/01/2025

Ref. 130000149699

Corian[®] Solid Surface Acrylic Modified Polyester Shapes - Gemstone

Components: Solid Surface; Dust (inhalable and respirable fraction); Methyl methacrylate, CAS No. 80-62-6; Styrene, CAS No. 100-42-5

Warning

Hazard statements: If small particles are generated during further processing, handling or by other means, may form combustible dust concentrations in air.

Supplemental information: The product as such is not hazardous. The hazards of this product are associated mainly with its processing. Operations such as sawing, routing, drilling and sanding can generate dust. WARNING! May form combustible dust concentrations in air (during processing). High concentrations of dust can irritate eyes, nose and respiratory system and cause coughing and sneezing. If small particles are generated during further processing, handling or by other means, may form combustible dust concentrations in air.

The following percentage of the mixture consists of ingredient(s) with unknown acute toxicity: 99.5 %

Refer to Safety Data Sheet (SDS) for further information.

DuPont 974 Centre Road Wilmington, Delaware 19805 Product Information: 1-833-338-7668 Medical Emergency: Transport Emergency: CHEMTREC: +1-800-424-9300 (outside the U.S. & Canada +1-703-527-3887)

Version 3.0 Revision Date 12/17/2024 Issue Date 01/01/2025 Ref. 130000149699

The DuPont Oval Logo, DuPont[™] and all products denoted with ® or [™] are trademarks or registered trademarks of affiliates of DuPont de Nemours, Inc.