

Version 3.0

Issue Date : 02/13/2025 Ref. 130000149699

Revision Date : 12/17/2024

This SDS adheres to the standards and regulatory requirements of the United States and may not meet the regulatory requirements in other countries.

SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

Product name : Corian® Solid Surface Acrylic Modified Polyester Shapes - Gemstone

Product Use : Article, For professional users only.

Restrictions on use : Do not use product for anything outside of the above specified uses.

Manufacturer/Supplier : DuPont

974 Centre Road

Wilmington, Delaware 19805

Product Information : 1-833-338-7668

Transport Emergency : +1-800-424-9300 (outside the U.S. & Canada +1-703-527-3887)

SECTION 2. HAZARDS IDENTIFICATION

Product hazard category

Combustible dust

Label content

Pictogram : not required

Signal word : Warning

Hazardous warnings : If small particles are generated during further processing, handling or by other

means, may form combustible dust concentrations in air.

Hazardous prevention

measures

: not required

Other hazards



Version 3.0

Issue Date : 02/13/2025 Ref. 130000149699

Revision Date : 12/17/2024

The product as such is not hazardous.

The hazards of this product are associated mainly with its processing.

Operations such as sawing, routing, drilling and sanding can generate dust.

WARNING!

May form combustible dust concentrations in air (during processing).

High concentrations of dust can irritate eyes, nose and respiratory system and cause coughing and sneezing. If small particles are generated during further processing, handling or by other means, may form combustible dust concentrations in air.

The following percentage of the mixture consists of ingredient(s) with unknown acute toxicity: 99.5 %

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Component	CAS-No.	Concentration
Solid Surface		100 %

Exposure limits may be applicable for the following:

Dust (inhalable and respirable fraction)		
Methyl methacrylate	80-62-6	
Styrene	100-42-5	

SECTION 4. FIRST AID MEASURES

General advice : No applicable data available.

Inhalation : If large amounts of dust are inhaled, or if exposed to fumes from overheating or

combustion, move to fresh air.

Skin contact : No hazards which require special first aid measures.

Eye contact : Rinse thoroughly with plenty of water, also under the eyelids.

Ingestion : No hazards which require special first aid measures.

Most important

symptoms/effects, acute

and delayed

: No applicable data available.



Version 3.0

Issue Date : 02/13/2025 Ref. 130000149699

Revision Date : 12/17/2024

Protection of first-aiders Notes to physician No applicable data available.No applicable data available.

SECTION 5. FIREFIGHTING MEASURES

Suitable extinguishing media : Water spray, Dry chemical, Carbon dioxide (CO2), Foam

Unsuitable extinguishing

media

: No applicable data available.

Specific hazards : Avoid generating dust; fine dust dispersed in air in sufficient concentrations,

and in the presence of an ignition source is a potential dust explosion hazard. Hazardous combustion products Carbon monoxide Carbon dioxide (CO2)

Methyl methacrylate monomer Aldehydes

Special protective equipment

for firefighters

: No applicable data available.

Further information : No applicable data available.

SECTION 6. ACCIDENTAL RELEASE MEASURES

NOTE: Review FIRE FIGHTING MEASURES and HANDLING (PERSONNEL) sections before proceeding with clean-up. Use appropriate PERSONAL PROTECTIVE EQUIPMENT during clean-up.

Safeguards (Personnel) : No special precautions required.

Environmental precautions : No special environmental precautions required.

Spill Cleanup : Dust deposits should not be allowed to accumulate on surfaces, as these may

form an explosive mixture if they are released into the atmosphere in sufficient concentration. Avoid dispersal of dust in the air (i.e., clearing dust

surfaces with compressed air). Non-sparking tools should be used.

Accidental Release Measures : No applicable data available.



Version 3.0

Issue Date : 02/13/2025 Ref. 130000149699

Revision Date : 12/17/2024

SECTION 7. HANDLING AND STORAGE

Handling (Personnel) : Do not breathe dust. Do not breathe vapours or fumes that may be evolved

during processing. Wash hands before breaks and at the end of workday. Minimize dust generation and accumulation. Routine housekeeping should be instituted to ensure that dusts do not accumulate on surfaces. Dry powders can build static electricity charges when subjected to the friction of transfer and mixing operations. Provide adequate precautions, such as electrical grounding and bonding, or inert atmospheres. Handling and processing operations should be conducted in accordance with best practices (e.g.NFPA-

654).

Handling (Physical Aspects)

Dust explosion class

Storage

No applicable data available.No applicable data available.

: No special storage conditions required.

Storage period : No applicable data available.

Storage temperature : No applicable data available.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Personal protective equipment

Respiratory protection

: No personal respiratory protective equipment normally required. Dust safety

masks are recommended when the dust concentration is more than 10

mg/m3.

Hand protection : Additional protection: Wear gloves suitable for the task being performed.

Leather gloves or a suitable alternative should be worn when handling solid surface. Chemical resistant gloves should be used when handling chemicals. One exception is the use of rotating equipment, where gloves could be caught

on the equipment.

Eye protection : Safety glasses

Exposure Guidelines
Exposure Limit Values

Solid Surface

No applicable data available.

Dust (inhalable and respirable fraction)



Version 3.0

Issue Date : 02/13/2025 Ref. 130000149699

Issue Date : 02/13/2025 Revision Date : 12/17/2024

PEL (Permissible	(OSHA)	50 Million particles per	TWA
Exposure Limit)		cubic foot	total dust
PEL (Permissible	(OSHA)	15 mg/m3	TWA
Exposure Limit)			total dust
PEL (Permissible	(OSHA)	5 mg/m3	TWA
Exposure Limit)			respirable fraction
PEL (Permissible	(OSHA)	15 Million particles per	TWA
Exposure Limit)		cubic foot	respirable fraction
TLV	(ACGIH)	3 mg/m3	TWA
		_	Respirable particulate matter
TLV	(ACGIH)	10 mg/m3	TWA
			Inhalable particulate matter

Methyl methacrylate			
TLV	(ACGIH)	50 ppm	TWA
TLV	(ACGIH)	100 ppm	STEL
REL	(NIOSH)	100 ppm 410 mg/m3	Time-weighted average concentration for up to a 10-hour workday during a 40-hour workweek
PEL (Permissible Exposure Limit)	(OSHA)	100 ppm 410 mg/m3	8 hr. TWA
PEL (Permissible Exposure Limit)	(OSHA)	100 ppm 410 mg/m3	TWA
AEL *	(DuPont)	50 ppm	8 & 12 hr. TWA
AEL *	(DuPont)	100 ppm	Short term exposure limit

Styrene			
REL	(NIOSH)	50 ppm 215 mg/m3	Time-weighted average concentration for up to a 10-hour workday during a 40-hour workweek
REL	(NIOSH)	100 ppm 425 mg/m3	STEL - 15-minute TWA exposure that should not be exceeded at any time during a workday
PEL (Permissible Exposure Limit)	(OSHA)	100 ppm	TWA
PEL (Permissible Exposure Limit)	(OSHA)	200 ppm	CEIL
PEL (Permissible Exposure Limit)	(OSHA)	600 ppm	Peak
PEL (Permissible Exposure Limit)	(OSHA)	50 ppm 215 mg/m3	TWA
PEL (Permissible Exposure Limit)	(OSHA)	100 ppm 425 mg/m3	STEL



Version 3.0

Issue Date : 02/13/2025 Ref. 130000149699

Revision Date : 12/17/2024

TLV	(ACGIH)	10 ppm	TWA
TLV	(ACGIH)	20 ppm	STEL
AEL *	(DuPont)	10 ppm	12 hr. TWA

Biological Exposure Indices

Styrene			
BEI	(ACGIH)	20 μg/l	Styrene/Urine End of shift (As soon as possible after exposure ceases)
BEI	(ACGIH)	150	Mandelic acid plus phenylglyoxylic acid/Urine End of shift (As soon as possible after exposure ceases)

^{*} AEL is DuPont's Acceptable Exposure Limit. Where governmentally imposed occupational exposure limits which are lower than the AEL are in effect, such limits shall take precedence.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance

Physical state : solid
Form : solid
Color : various

Odor : odourless

Odor threshold : No applicable data available.

pH : No applicable data available.

Melting point/range : No applicable data available.

Boiling point/boiling range : No applicable data available.

Flash point : No applicable data available.

Evaporation rate : No applicable data available.

Flammability (solid, gas) : May form combustible dust concentrations in air.

Upper explosion limit : No applicable data available.

6/14



Version 3.0

Issue Date : 02/13/2025 Ref. 130000149699

Revision Date : 12/17/2024

Lower explosion limit : No applicable data available.

Vapour Pressure : No applicable data available.

Vapour density : No applicable data available.

Specific gravity (Relative

density)

: No applicable data available.

Bulk density : 1.7 - 1.8 kg/m3

Water solubility : No applicable data available.

Solubility(ies) : No applicable data available.

Partition coefficient: n-

octanol/water

: No applicable data available.

Auto-ignition temperature : No applicable data available.

Decomposition temperature : No applicable data available.

Viscosity, kinematic : No applicable data available.

Viscosity, dynamic : No applicable data available.

SECTION 10. STABILITY AND REACTIVITY

Reactivity : No applicable data available.
Chemical stability : No applicable data available.
Possibility of hazardous : No applicable data available.

reactions

Conditions to avoid : None reasonably foreseeable. Stable under normal conditions.

Incompatible materials : No applicable data available.

Hazardous decomposition

products

Methyl methacrylate monomer, Styrene

SECTION 11. TOXICOLOGICAL INFORMATION

Methyl methacrylate

7/14



Version 3.0

Issue Date : 02/13/2025 Ref. 130000149699

Revision Date : 12/17/2024

Inhalation 4 h LC50 : 29.8 mg/l , Rat

Target Organs: Respiratory system

Dermal LD50 : > 5,000 mg/kg , Rabbit

Oral LD50 : 6,550 mg/kg , Rabbit

Skin irritation : Severe skin irritation, Rabbit

Eye irritation : No eye irritation, Rabbit

Skin sensitization : May cause sensitisation by skin contact., Guinea pig

Does not cause respiratory sensitization., human

Repeated dose toxicity : Oral

Rat

-

NOAEL: > 3300,

No toxicologically significant effects were found.

Carcinogenicity : Not classifiable as a human carcinogen.

Animal testing did not show any carcinogenic effects.

Mutagenicity : Animal testing did not show any mutagenic effects.

Reproductive toxicity : No toxicity to reproduction

No effects on or via lactation

Animal testing showed no reproductive toxicity.

Teratogenicity : Animal testing showed no developmental toxicity.

Styrene

Inhalation 4 h LC50 : 11.8 mg/l, Rat

Dermal LD50 : > 2,000 mg/kg , Rat

Oral LD50 : > 6,000 mg/kg, hamster

Skin irritation : Severe skin irritation, Rabbit

Eye irritation : Irritation to eyes, reversing within 21 days, Rabbit

Skin sensitization : Does not cause skin sensitization., Guinea pig



Version 3.0

Issue Date : 02/13/2025 Ref. 130000149699

Revision Date : 12/17/2024

Does not cause respiratory sensitization., human

Repeated dose toxicity : Inhalation

Rat - 28 d vapour

NOAEL: 2.13 mg/l

Central nervous system effects, Hearing disturbances

Ingestion Rat

- 24 Months

NOAEL: 1,000 mg/kg LOAEL: 2,000 mg/kg

No toxicological effects warranting significant target organ toxicity classification were seen below the recommended guidance values for

classification.

Carcinogenicity : Weight of evidence does not support classification as a carcinogen

Overall weight of evidence indicates that the substance is not

carcinogenic.

Mutagenicity : Weight of evidence does not support classification as a germ cell

mutagen.

Genetic damage in cultured bacterial cells was observed in some

laboratory tests but not in others.

Tests on mammalian cell cultures showed mutagenic effects.

Genetic damage in animals was observed in some laboratory tests but

not in others.

Reproductive toxicity : Animal testing showed no reproductive toxicity.

Teratogenicity : Some evidence of adverse effects on development, based on animal

experiments.

Animal testing showed effects on embryo-foetal development at levels

below those causing maternal toxicity.

Carcinogenicity

The carcinogenicity classifications for this product and/or its ingredients have been determined according to HazCom 2012, Appendix A.6. The classifications may differ from those listed in the National Toxicology Program (NTP) Report on Carcinogens (latest edition) or those found to be a potential carcinogen in the International Agency for Research on Cancer (IARC) Monographs (latest edition).



Version 3.0

Issue Date : 02/13/2025 Ref. 130000149699

Revision Date : 12/17/2024

Material IARC NTP OSHA

Titanium dioxide 2B

Styrene 2A X

SECTION 12. ECOLOGICAL INFORMATION

Aquatic Toxicity

Methyl methacrylate

96 h LC50 : Oncorhynchus mykiss (rainbow trout) > 79 mg/l

72 h ErC50 : Pseudokirchneriella subcapitata (green algae) > 110 mg/l OECD Test

Guideline 201

72 h NOEC : Pseudokirchneriella subcapitata (green algae) 110 mg/l OECD Test

Guideline 201

48 h EC50 : Daphnia magna (Water flea) 69 mg/l see user defined free text

35 d : NOEC Danio rerio (zebra fish) 9.4 mg/l OECD Test Guideline 210

21 d : NOEC Daphnia magna (Water flea) 37 mg/l OECD Test Guideline

211

Styrene

96 h LC50 : Pimephales promelas (fathead minnow) 10 mg/l OECD Test

Guideline 203

96 h EC50 : Raphidocelis subcapitata (freshwater green alga) 6.3 mg/l

96 h EC10 : Raphidocelis subcapitata (freshwater green alga) 0.28 mg/l

48 h EC50 : Daphnia magna (Water flea) 4.7 mg/l OECD Test Guideline 202

21 d : NOEC Daphnia magna (Water flea) 1.01 mg/l OECD Test Guideline

211

Environmental Fate

Methyl methacrylate

Biodegradability : rapidly biodegradable OECD Test Guideline 301C

Readily biodegradable.

10 / 14



Version 3.0

Issue Date 02/13/2025 Ref. 130000149699

Revision Date 12/17/2024

> Bioaccumulation Bioaccumulation is unlikely.

Styrene

Biodegradability Biodegradable

Readily biodegradable.

Bioaccumulation Bioaccumulation is unlikely.

SECTION 13. DISPOSAL CONSIDERATIONS

Product

Waste disposal methods - : Can be landfilled or incinerated, when in compliance with local regulations.

Contaminated packaging : No applicable data available.

SECTION 14. TRANSPORT INFORMATION

Not classified as dangerous in the meaning of transport regulations.

SECTION 15. REGULATORY INFORMATION

TSCA : On the inventory, or in compliance with the inventory

SARA 313 Regulated Chemical(s)

The following components are subject to reporting levels established by SARA Title III, Section 313:

Components	CAS-No.	Concentration %
Styrene	100-42-5	32 %
Methyl methacrylate	80-62-6	4 %

PA Right to Know Regulated Chemical(s) : Substances on the Pennsylvania Hazardous Substances List present at a concentration of 1% or more (0.01% for Special Hazardous Substances): Titanium dioxide, Styrene, 2-Ethylhexan-1-ol, Methyl methacrylate, Iron



Version 3.0

Issue Date 02/13/2025 Ref. 130000149699

Revision Date 12/17/2024

Hydroxide Oxide (Fe(Oh)O), Cobalt neodecanoate, 1,2,4-Trimethylbenzene,

Methanol, 2-(2-Ethoxyethoxy)ethanol

NJ Right to Know Regulated Chemical(s)

: Substances on the New Jersey Workplace Hazardous Substance List present

at a concentration of 1% or more (0.1% for substances identified as carcinogens, mutagens or teratogens): Titanium dioxide, Styrene, Methyl

methacrylate

California Prop. 65 : WARNING: This product can expose you to substances including Styrene,

which is/are known to the State of California to cause cancer, and Methanol, which is/are known to the State of California to cause birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

SECTION 16. OTHER INFORMATION

Restrictions for use : Do not use DuPont materials in medical applications involving implantation

in the human body or contact with internal body fluids or tissues unless the material has been provided from DuPont under a written contract that is consistent with DuPont policy regarding medical applications and expressly acknowledges the contemplated use. For further information, please contact your DuPont representative. You may also request a copy of the DuPont POLICY Regarding Medical Applications and DuPont

CAUTION Regarding Medical Applications.

Refer to NFPA 654, Standard for the Prevention of Fire and Dust Explosions from the Manufacturing, Processing, and Handling of Combustible Particulate Solids, for safe handling.

Before use read DuPont's safety information.

The DuPont Oval Logo, DuPont™ and all products denoted with ® or ™ are trademarks or registered trademarks of affiliates of DuPont de Nemours, Inc.

Issue Date : 02/13/2025 : 12/17/2024 **Revision Date**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.



Version 3.0

Issue Date : 02/13/2025 Revision Date : 12/17/2024 Issue Date : 02/13/2025 Ref. 130000149699



Cornators Compaters Compaters - Gemstone

Components: Solid Surface; Dust (inhalable and respirable fraction); Methyl methacrylate, CAS No. 80-62-6; Styrene, CAS No. 100-42-5

Warning

Hazard statements: If small particles are generated during further processing, handling or by other means, may form combustible dust concentrations in air.

Supplemental information: The product as such is not hazardous. The hazards of this product are associated mainly with its processing. Operations such as sawing, routing, drilling and sanding can generate dust. WARNING! May form combustible dust concentrations in air (during processing). High concentrations of dust can irritate eyes, nose and respiratory system and cause coughing and sneezing. If small particles are generated during further processing, handling or by other means, may form combustible dust concentrations in air.

The following percentage of the mixture consists of ingredient(s) with unknown acute toxicity: 99.5 %

Refer to Safety Data Sheet (SDS) for further information.

DuPont 974 Centre Road Wilmington, Delaware 19805 Product Information: 1-833-338-7668 **Medical Emergency:**

Transport Emergency: CHEMTREC: +1-800-424-9300 (outside the U.S. &

Canada +1-703-527-3887)

Version 3.0 Revision Date 12/17/2024 Issue Date 02/13/2025 Ref. 130000149699

The DuPont Oval Logo, DuPont™ and all products denoted with ® or ™ are trademarks or registered trademarks of affiliates of DuPont de Nemours, Inc.